



## > CAP online

This document confirms that factory CONFEXPORT has been audited against the ICS social audit framework on 29/12/2023 by Eurofins on behalf of Promod.

The total rating of this audit is B 98%.

## **CONFEXPORT**







## > Letter and % rating by chapter

AN	Chapter	Letter and % rating
	Management System, Transparency and Traceability	A 100%
	1 Minimum age, Child labour and Young workers	A 100%
	2 Forced labour	A 100%
	3 Discrimination	A 100%
	4 Disciplinary Practices, Harassment and Abuse	A 100%
	5 Freedom of association and Grievance Mechanisms	A 100%
	6 Working hours and Overtime	A 100%
	7 Remuneration and Benefits	A 100%
	8 Health and Safety	В 80%

Nb of employees

Nb of employees interviewed

## 8 Health and Safety 8.2 Does the facility have non-expired fire safety documentation issued by the local fire authority in accordance with local law? Reaudit (29/12/2023): Not corrected There is no fire prevention certificate. Pas de certificat de prévention incendie. Reaudit (17/01/2022): Not corrected There is no fire prevention certificate. Pas de certificat de prévention incendie. Objective evidence: Management's interview and documents review. In accordance with: Law n'2009-11 of March 2nd 2009, Article 50: When all security measures are available, the Fire Department provides a fire prevention certificate. Tunisian Labor Code, Article 293: Factories, workshops, warehouses, building sites and in general all the establishments which present causes of danger or disadvantages, either for the safety, hygiene or health of the personnel are subject to the supervision of administrative authorities. Tunisian Labor Code Article 294: These establishments are classified in three categories according to the danger or disadvantages inherent to their activities. The factory should have the fire certificate. La société doit avoir le certificat de prévention incendie. Audit company - 04/01/2024 14:01:42 28/12/2024 The management agrees to do the necessary actions. la direction s'engage de faire le nécessaire 8.9 Does the facility conduct health and safety training for all workers? D Reaudit (29/12/2023): Not corrected It was noted that there is no internal health and safety training for existing employees. Il est à noter qu'il n'y a pas de formation interne en santé et sécurité pour les employés existants. Reaudit (17/01/2021): New finding It was noted that there is no internal health and safety training for existing employees. Il est à noter qu'il n'y a pas de formation interne en santé et sécurité pour les employés existants. Objective evidence: Management's interview and documents review. Inaccordance with :Tunisian Labour Code, article 154-5: The factory manager should designate a health and safety part overtiques to detect risks at work, prevent workers and ensure that protective equipment is used. - Identify accidents' causes, suggest prevention program and guarantee the security of workers. - Initiate workers into the use of protective equipment. - Increase workers' awareness and provide preventive education It is recommended that the facility should provide health and safety training for existing employees. Il est recommandé que l'entreprise doit fournir une formation en santé et sécurité aux employés existants. Target date 30/03/2024 Audit company - 04/01/2024 14:01:42 The management agrees to do the necessary actions. la direction s'engage de faire le nécessaire Factory - 04/01/2024 14:01:42 8.10 Does the facility conduct fire drills on a regular basis (if not defined by law, at least once by year) for all floors and shifts? Reaudit (29/12/2023). Not corrected It was noted that the facility does not conduct fire drills on a regular basis every six months as required by local law. The last one was performed on 27/04/2023. Il est à noter que l'entreprise en conduit un exercice d'évacuation d'une manière régulière chaque six mois le derniers date du 27/04/2023 Reaudit (17/01/2021). New finding It was noted that the facility does not conduct fire drills on a regular basis every six months as required by the local law. The last one was performed on 17/06/2021. Il est à noter que l'entreprise en conduit un exercice d'évacuation d'une manière régulière chaque six mois le derniers date du 17/06/2021 (19/06/2021). Il est à noter que l'entreprise en conduit un exercice d'évacuation d'une manière régulière chaque six mois le derniers date du 17/06/2021 (19/06/2021). Il est à noter que l'entreprise en conduit un exercice d'évacuation d'une manière régulière chaque six mois le derniers date du 17/06/2021 (19/06/2021). Il est à noter que l'entreprise en conduit un exercise d'exercise de l'entreprise en conduit un exercise d'exercise d'exercise de l'entreprise en conduit un exercise d'exercise de l'exercise de l'entreprise en conduit un exercise d'exercise and responsant provide exercise d'exercise d'exercise d'exercise de l'exercise (19/06/2021). Il est à noter que l'entreprise en conduit un exercise d'exercise d

30/03/2024

It is recommended to perform fire drill at least once every six months. Il est recommandé d'effectuer un exercice d'évacuation au moins une fois chaque six mois

Audit company - 04/01/2024 14:01:42

Factory - 04/01/2024 14:01:42

The management agrees to do the necessary actions. la direction s'engage de faire le nécessaire